

# ÆRATIS

( Æ r ' - u h - t i s )

PVC PORCH FLOORING

## 20 YEAR WARRANTY REGISTRATION

### Aeratis Porch Flooring

This form must be filled out completely for approval for extension to 20 year warranty.

#### **HOMEOWNER INFORMATION**

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Email: \_\_\_\_\_  
Address of Installation  
Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Phone Number: \_\_\_\_\_

#### **DEALER INFORMATION**

Dealer Name: \_\_\_\_\_ Purchase Date: \_\_\_\_\_  
Dealer Invoice Number: \_\_\_\_\_  
Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

#### **INSTALLER-BUILDER/CONTRACTOR INFORMATION**

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Email: \_\_\_\_\_  
# of years installing: \_\_\_\_\_  
# of Aeratis porches installed: \_\_\_\_\_

#### **FRAMING**

- Product will be installed with a roof over it. Yes \_\_\_/No \_\_\_
- Product will be installed with frame joist 16" on center or less. Yes \_\_\_/No \_\_\_
- Additional blocking and framing will be added under the porch floor surface to support columns and porch posts. Yes \_\_\_/No \_\_\_

#### **Recommended but not required application**

- Framing will be sloped 1/4" per foot away from the house to promote water runoff. Yes \_\_\_/No \_\_\_
- Framing will be run parallel to the house to allow porch flooring to run perpendicular to the house to help promote water runoff. Yes \_\_\_/No \_\_\_

#### **Type of Application (Select one)**

\_\_\_\_\_ (a) Standard Porch Application

- Porch is 18" off the ground to the bottom of the joist framing and has clear open ventilation with the exception of brick piers, other support posts, and lattice. Yes \_\_\_/No \_\_\_

\_\_\_\_(b) Cement Block /Brick Wall foundation\_\_\_\_(c) Concrete Slab \_\_\_\_ (d) Second Floor Porch

- You plan to locate foundation wall vents every 6’ to 8’ around the perimeter of the porch and 6” to 8” above the grade.

**(Required for “b” only)**

Yes \_\_\_/No \_\_\_

- Your framing plans include a cross-hatched 2x4 sleeper system to create 3” of ventilation under the porch floor surface.

**(Required for “b,”“c,”and “d”)**

Yes \_\_\_/No \_\_\_

- You plan to run the cross hatched sleeper system past the joist framing to create a 3” soffit around the perimeter of the porch for ventilation.

**(Required for “b,”“c,”and “d”)**

Yes \_\_\_/No \_\_\_

Does the porch abut more than one wall?

Yes \_\_\_/No \_\_\_

If yes, are you planning to install standard floor register vents up against the wall of the house every 8’ at a maximum. (Required for “b,”“c,” and “d”)

Yes \_\_\_/No \_\_\_

**Installation**

- Are you planning to secure the product with  
Stainless steel barbed cleat nails and construction adhesive Yes \_\_\_/No \_\_\_
- #8 Trim-head stainless steel GRK Screws and construction adhesive Yes \_\_\_/No \_\_\_
- You understand Aeratis Porch Flooring should not be picture framed. Yes \_\_\_/No \_\_\_
- You understand that the material should be installed perpendicular to the house to promote water runoff. (This is strongly recommended/not a requirement) Yes \_\_\_/No \_\_\_
- You are planning to leave a 1/4” gap where the product meets the wall of the house. Yes \_\_\_/No \_\_\_

**Painting (if desired)**

- You understand that Aeratis can be painted, if desired, with oil-based porch paint with colors having a LRV (Light Reflective Value) of 55 or more. Yes \_\_\_/No \_\_\_

Email photos of your porch (5 megapixels or better) \*Note\* These may be used in our online photo gallery.

**YOUR OPINION COUNTS (Please put an X next to all those that apply)**

**What factors influenced you to buy Aeratis?**

- Quality Yes\_\_\_
- Appearance Yes\_\_\_
- Availability Yes\_\_\_
- Class A fire rating Yes\_\_\_
- Cost Yes\_\_\_
- Low Maintenance Yes\_\_\_
- Overall Value Yes\_\_\_
- Builder Yes\_\_\_
- Salesperson at yard Yes\_\_\_
- Recommended Yes\_\_\_
- Other\_\_\_\_\_ Yes\_\_\_

**How did you hear about Aeratis:**

- Friend Yes\_\_\_
- Lumberyard Yes\_\_\_
- Magazine ad or article Yes\_\_\_

- Tradeshow Yes\_\_\_\_\_
- Web search Yes\_\_\_\_\_

**How did Aeratis compare in cost with other composites?**

- Much less Yes\_\_\_\_\_
- Competitively priced Yes\_\_\_\_\_
- The same Yes\_\_\_\_\_
- Higher than other composites Yes\_\_\_\_\_

**How would you rate your installation experience?**

- Very easy Yes\_\_\_\_\_
- Easy, moderate Yes\_\_\_\_\_
- Hard Yes\_\_\_\_\_
- Extremely hard Yes\_\_\_\_\_

**What was the level of education about Aeratis you received from the lumberyard staff?**

- Very well educated Yes\_\_\_\_\_
- Somewhat educated Yes\_\_\_\_\_
- Little education Yes\_\_\_\_\_
- Knew absolutely nothing Yes\_\_\_\_\_

**How long did it take to have your Aeratis delivered from the time you placed your order?**

- In stock – immediately Yes\_\_\_\_\_
- 1 week, 2-4 weeks Yes\_\_\_\_\_
- 4-6 weeks Yes\_\_\_\_\_
- 6+ weeks Yes\_\_\_\_\_

**What other colors you would like to see Aeratis manufacture?**

- White Yes\_\_\_\_\_
- Dark Green Yes\_\_\_\_\_
- Other \_\_\_\_\_ Yes\_\_\_\_\_

**What other products would you like to see Aeratis manufacture to compliment your porch?**

- Decking Yes\_\_\_\_\_
- Railing Yes\_\_\_\_\_
- Lattice Yes\_\_\_\_\_
- Beaded ceiling Yes\_\_\_\_\_
- Fascia Yes\_\_\_\_\_

**What could we have done to enhance your experience with Aeratis?**

We care greatly about your experience with our products and strive to provide the best product solutions for our customers. We greatly appreciate and value your input and thank you for taking the time to fill out this information.

Please sign and fax back to Building Products International 480.895.8991

I (signature) \_\_\_\_\_ state that the above information if completed truthfully, to the best of my ability and understand that if this information is not correct it will effect the 20 year Aeratis warranty.